



ELSEVIER

Discrete Mathematics 152 (1996) 329–330

DISCRETE  
MATHEMATICS

## Author index to volume 152 (1996)

- |   |               |
|---|---------------|
| Ageev, A.A., A triangle-free circle graph with chromatic number 5 ( <i>Communication</i> )                                    | (1–3) 295–298 |
| Aharoni, R. and U. Keich, A generalization of the Ahlswede–Daykin inequality  | (1–3) 1– 12   |
| Alon, N. and E. Fischer, 2-factors in dense graphs  | (1–3) 13– 23  |
| Banković, D., Formulas of general solutions of Boolean equations  | (1–3) 25– 32  |
| Baranga, A., $\mathbb{Z}$ -continuous posets  | (1–3) 33– 45  |
| Brandstädt, A., Partitions of graphs into one or two independent sets and cliques   | (1–3) 47– 54  |
| Bryant, D.E., A special class of nested Steiner triple systems ( <i>Note</i> )  | (1–3) 315–320 |
| Burosch, G. and P.V. Ceccherini, A characterization of cube-hypergraphs   | (1–3) 55– 68  |
| Burosch, G., H.-D.O.F. Gronau, J.-M. Laborde and I. Warnke, On posets of $m$ -ary words                                       | (1–3) 69– 91  |
| Caro, Y., Zero-sum problems — A survey  | (1–3) 93–113  |
| Ceccherini, P.V., see G. Burosch  | (1–3) 55– 68  |
| Domocoş, V., A combinatorial method for the enumeration of column-convex polyominoes  | (1–3) 115–123 |
| Duffus, D. and N. Sauer, Lattices arising in categorial investigations of Hedetniemi's conjecture                             | (1–3) 125–139 |
| Fan, H., see B. Xu  | (1–3) 325–328 |
| Fischer, E., see N. Alon  | (1–3) 13– 23  |
| Flores, C. and O. Ordaz, On the Erdős–Ginzburg–Ziv theorem ( <i>Note</i> )  | (1–3) 321–324 |
| Galeana-Sánchez, H. and H.A. Rincón-Mejía, Independent sets which meet all longest paths                                      | (1–3) 141–145 |
| Gao, G. and X. Zhu, Star-extremal graphs and the lexicographic product  | (1–3) 147–156 |
| Gravier, S., A Hajós-like theorem for list coloring ( <i>Communication</i> )  | (1–3) 299–302 |
| Griggs, J. and O. Murphy, Edge density and independence ratio in triangle-free graphs with maximum degree three               | (1–3) 157–170 |
| Gronau, H.-D.O.F., see G. Burosch   | (1–3) 69– 91  |
| Guido, C., A larger class of reconstructible tournaments  | (1–3) 171–184 |
| Helleseeth, T. and P. V. Kumar, On the weight hierarchy of the semiprimitive codes  | (1–3) 185–190 |
| Keich, U., see R. Aharoni   | (1–3) 1– 12   |
| Kenyon, C. and E. Rémila, Perfect matchings in the triangular lattice   | (1–3) 191–210 |
| Kingan, S.R., Binary matroids without prisms, prism duals, and cubes  | (1–3) 211–224 |
| Kubo, T. and R. Vakil, On Conway's recursive sequence   | (1–3) 225–252 |
| Kumar, P.V., see T. Helleseeth  | (1–3) 185–190 |
| Laborde, J.-M., see G. Burosch  | (1–3) 69– 91  |
| Lou, D., The Chvátal–Erdős condition for cycles in triangle-free graphs   | (1–3) 253–257 |
| Marshall, S., On the existence of $k$ -tournaments with given automorphism group  | (1–3) 259–268 |
| Murphy, O., see J. Griggs   | (1–3) 157–170 |
| Noble, S.D., Recognising a partitionable simplicial complex is in NP ( <i>Communication</i> )                                 | (1–3) 303–305 |
| Noonan, J., The number of permutations containing exactly one increasing subsequence of length three ( <i>Communication</i> ) | (1–3) 307–313 |
| Ordaz, O., see C. Flores  | (1–3) 321–324 |
| Rémila, E., see C. Kenyon   | (1–3) 191–210 |
| Rincón-Mejía, H.A., see H. Galeana-Sánchez  | (1–3) 141–145 |

- Sauer, N., see D. Duffus (1-3) 125-139  
Serfati, M., On postian algebraic equations (1-3) 269-285  
Vakil, R., see T. Kubo (1-4) 225-252  
Warnke, I., see G. Burosch (1-3) 69-91  
Woodall, D.R., An identity involving 3-regular graphs (1-3) 287-293  
Xu, B. and H. Fan, On the fixed edge of planar graphs with minimum degree five (*Note*) (1-3) 325-328  
Zhu, X., see G. Gao (1-3) 147-156